

Hello,

Thanks for your interest in your facility receiving CERCLA wastes. Please send the following information regarding your facility:

1. Capacity
2. Operations
3. Wastes the facility is permitted to accept, such as special waste (petroleum contaminated soils, grease trap waste, asbestos, etc.)
4. Groundwater monitoring (number of wells)
5. Methane gas monitoring/handling (for Subtitle D landfills)
6. Leachate collection system and handling (for landfills)
7. Liner systems (for landfills)
8. Liquid solidification? (For Subtitle D landfills)
9. Truck wheel washer? (For Subtitle D landfills)
10. Most recent compliance evaluation inspection report (from applicable State agency)

Please send any other information you would send to your clients, telling me how excellent your facility is.

Thanks again for your interest in doing business with EPA.

Ron Shannon (6EN-HE)
Regional Off-site Contact
U.S. Environmental Protection Agency
1445 Ross Avenue, Suite 1200
Dallas, TX 75202
email: shannon.wilkin@epa.gov
direct line: (214) 665-2282
fax: (214) 665-7446

After receiving this information and looking at information EPA has regarding the facility, and if the facility is in compliance, a preliminary acceptability determination letter is sent to the enforcement division of the subject State asking if the facility is in compliance with the requirements of State laws or programs the State is authorized. A response is requested within 14 days of receipt of the letter from EPA. If the State does not object to issuance of an acceptability determination, an acceptability determination letter is sent to the facility. The facility remains acceptable until EPA notifies in writing. If the State objects, and the facility disagrees, conference calls or meetings are set up to discuss issues. EPA then makes a determination on acceptability.

If a facility is interested in receiving CERCLA wastes, the first step is to contact Ron Shannon, I then request the following information. If personnel requests a written list, I will either fax or email the following: