

Table A-21. Onroad and Nonroad Emissions of 21 Mobile Source Air Toxics, 1996

Compound	Onroad		Nonroad		Mobile Sources	
	Tons	Percent of Total National Emissions	Tons	Percent of Total National Emissions	Tons	Percent of Total National Emissions
1,3-Butadiene*	23,500	42%	9,900	18%	33,400	60%
Acetaldehyde*	28,700	29%	40,800	41%	69,500	70%
Acrolein*	5,000	16%	7,400	23%	12,400	39%
Arsenic Compounds*	0.25	0.06%	2.01	0.51%	2.26	0.57%
Benzene*	168,200	48%	98,700	28%	266,900	76%
Chromium Compounds*	14	1.2%	35	3%	49	4.2%
Dioxins/Furans* ¹	NA	NA	NA	NA	NA	NA
Ethylbenzene	80,800	47%	62,200	37%	143,000	84%
Formaldehyde*	83,000	24%	86,400	25%	169,400	49%
Lead Compounds*	19	0.8%	546	21.8%	565	22.6%
Manganese Compounds*	5.8	0.2%	35.5	1.3%	41.3	1.5%
Mercury Compounds*	0.2	0.1%	6.6	4.1%	6.8	4.2%
MTBE	65,100	47%	53,900	39%	119,000	86%
n-Hexane	63,300	26%	43,600	18%	106,600	44%
Naphthalene ²	NA	NA	NA	NA	NA	NA
Nickel Compounds*	10.7	0.9%	92.8	7.6%	103.5	8.5%
POM (as sum of 7 PAH)*	42.0	4%	19.3	2%	61.3	6%
Styrene	16,300	33%	3,500	7%	19,800	40%
Toluene	549,900	51%	252,200	23%	802,100	74%
Xylene	311,000	43%	258,400	36%	569,400	79%
Diesel Particulate Matter	182,000	34%	341,000	65%	523,000	99%

*On the urban HAPs list for the Integrated Urban Air Toxics Strategy

¹Dioxin/Furans emission estimates are still under review

²Naphthalene emission estimates are currently included in POM. This will be corrected in the 1999 NTI.